


SAFETY DATA SHEET

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Valvoline LLC
3499 Blazer Parkway
Lexington, KY 40509

Regulatory Information Number
Telephone
Emergency telephone number

1-800-TEAMVAL
1-800-TEAMVAL
1-800-825-8654

Product name

Max Life™ DEX/MERC AUTOMATIC TRANSMISSION FLUID

Product code

822421

2. HAZARDS IDENTIFICATION
Emergency Overview

Appearance: liquid, red

Potential Health Effects
Exposure routes

Inhalation, Skin contact, Eye Contact, Ingestion

Eye contact

Unlikely to cause eye irritation or injury.

Skin contact

Unlikely to cause skin irritation or injury.

Ingestion

Swallowing this material is not likely to be harmful.

Inhalation

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

No data.

Symptoms

No symptoms known or expected.


SAFETY DATA SHEET

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

Target Organs

No data.

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA). This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

There are no data available for assessing risk to the fetus from maternal exposure to this material.

3. COMPOSITION/INFORMATION ON INGREDIENTS

WHMIS hazardous composition: No ingredients are hazardous according to the CPR criteria.

4. FIRST AID MEASURES
General Information

Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.

Eyes

Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

Skin

Remove contaminated clothing. If irritation develops, get medical attention. If on skin, rinse well with water. First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water. Wash contaminated clothing before re-use.

Ingestion

Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Inhalation

If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

Notes to physician

Hazards: No information available.

Treatment: No hazards which require special first aid measures.

**SAFETY DATA SHEET**

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

5. FIREFIGHTING MEASURES**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment., Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable extinguishing media

High volume water jet

Hazardous combustion products

carbon dioxide and carbon monoxide, Hydrocarbons

Precautions for fire-fighting

Do not allow run-off from fire fighting to enter drains or water courses. In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

For personal protection see section 8. Use personal protective equipment. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Other information

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE**Handling**

Do not breathe vapours/dust. Do not smoke. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Container hazardous when empty. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For

**SAFETY DATA SHEET**

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

personal protection see section 8. Dispose of rinse water in accordance with local and national regulations. Normal measures for preventive fire protection.

Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines****HYDROTREATED LIGHT PARAFFINIC DISTILLATE 64742-55-8**

OEL (QUE)	time weighted average	5 mg/m ³	Mist.
OEL (QUE)	Short term exposure limit	10 mg/m ³	Mist.
CAD AB OEL	time weighted average	5 mg/m ³	Mist.
CAD AB OEL	Short term exposure limit	10 mg/m ³	Mist.
CAD BC OEL	time weighted average	0.2 mg/m ³	Mist.
CAD ON OEL	time weighted average	5 mg/m ³	Mist.
CAD ON OEL	Short term exposure limit	10 mg/m ³	Mist.

HYDROTREATED LIGHT PARAFFINIC DISTILLATE 64742-55-8

OEL (QUE)	time weighted average	5 mg/m ³	Mist.
OEL (QUE)	Short term exposure limit	10 mg/m ³	Mist.
CAD AB OEL	time weighted average	5 mg/m ³	Mist.
CAD AB OEL	Short term exposure limit	10 mg/m ³	Mist.
CAD BC OEL	time weighted average	0.2 mg/m ³	Mist.
CAD ON OEL	time weighted average	5 mg/m ³	Mist.
CAD ON OEL	Short term exposure limit	10 mg/m ³	Mist.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Wash hands before breaks and at the end of workday.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

**SAFETY DATA SHEET**

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

Wear as appropriate:

Impervious clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Discard gloves that show tears, pinholes, or signs of wear.

Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection

Respiratory protection is not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Colour	red
Odour	mild
Boiling point/boiling range	(>)424 °F / 218 °C @ 760.00 mmHg
pH	No data available
Flash point	> 390 °F / > 199 °C Closed Cup
Evaporation rate	(<)1 Ethyl Ether
Vapour pressure	1.000 hPa Calculated Vapor Pressure
Relative vapour density	(>)1 AIR=1
Density	0.8518 g/cm ³ @ 60.01 °F / 15.56 °C 7.16 lb/gal @ 60.00 °F / 15.56 °C
Water solubility	No data available
Solubility(ies)	No data available
Auto-ignition temperature	No data available
Viscosity, dynamic	No data available
Viscosity, kinematic	28.8 mm ² /s @ 40 °C
Decomposition temperature	No data available

10. STABILITY AND REACTIVITY**Stability**

Stable under recommended storage conditions.

Conditions to avoid

excessive heat


SAFETY DATA SHEET

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

Incompatible products

Strong oxidizing agents

Hazardous decomposition products

carbon dioxide and carbon monoxide, Hydrocarbons

Hazardous reactions

Product will not undergo hazardous polymerization.

Thermal decomposition

No data available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Product

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation : Result: Slightly irritating to eyes
Expected based on components.
Unlikely to cause eye irritation or injury.

Respiratory or skin sensitisation : May cause allergic skin reaction.

Aspiration toxicity : No aspiration toxicity classification

Further information : No data available

Components:

**SAFETY DATA SHEET**

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

No data available

Components:

No data available

Persistence and degradability**Product:**

No data available

Components:

No data available

Bioaccumulative potential**Product:**Partition coefficient: n-
octanol/water : No data available**Components:**

No data available

Mobility in soil**Product:**

No data available

Components:

No data available

Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.



SAFETY DATA SHEET

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC TRANSMISSION FLUID

Version: 5.2

822421

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Dispose of in accordance with all applicable local, state and federal regulations.

Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

MX_DG

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TDG_INWT_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

**SAFETY DATA SHEET**

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION**WHMIS Classification**

Not Rated

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Canadian National Pollutant Release Inventory (NPRI) Canadian National Pollutant Release Inventory (NPRI):
No component is listed on NPRI.

Notification status

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	y (positive listing)
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	y (positive listing)
China. Inventory of Existing Chemical Substances	e (special case)
Japan. Kashin-Hou Law List	e (special case)

	HMIS	NFPA
--	-------------	-------------

**SAFETY DATA SHEET**

Revision Date: 07/31/2016

Print Date: 9/9/2016

SDS Number: R0367943

Max Life™ DEX/MERC AUTOMATIC
TRANSMISSION FLUID

Version: 5.2

822421

Health	2	2
Flammability	1	1
Physical hazards	0	
Instability		0
Specific Hazard	--	--

16. OTHER INFORMATION

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average


vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

	Page: 11
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/9/2016
	SDS Number: R0367943
Max Life™ DEX/MERC AUTOMATIC TRANSMISSION FLUID 822421	Version: 5.2

HMIRC : Hazardous Materials Information Review Commission
HMIS : Hazardous Materials Identification System
NFPA : National Fire Protection Association
NIOSH : National Institute for Occupational Safety and Health
OSHA : Occupational Safety and Health Administration
PMRA : Health Canada Pest Management Regulatory Agency
RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System