



SERVISTAR PAINT THINNER

MSDS Number

BHHBB

National Stock Number

8010-00N010203

Product Name

SERVISTAR PAINT THINNER

Manufacturer

PARKS CORP

Product Identification

Product ID:SERVISTAR PAINT THINNER

MSDS Date:09/30/1985

FSC:8010

NIIN:00N010203

MSDS Number: BHHBB

Responsible Party

PARKS CORPORATION

SOMERSET , MA 02726

Emergency Phone: (617)679-5938

Info Phone: (617)679-5938

Cage: 6L244

Contractor

PARKS CORPORATION

5

SOMERSET, MA 02726

US

508-679-5938

Cage: 6L244

Ingredients

MINERAL SPIRITS

CAS: 64741-41-9

Fraction By Weight: 100%

OSHA PELN/K

ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF OVEREXPOSURE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES:CAUSES EYE IRRITATION.SKIN:CAUSES DRYING OF THE SKIN.INGESTION:N/K.INHALATION:EXCESSIVE INHALATION CAUSES HEADACHE,DIZZINESS AND NAUSEA.SYSTEMIC EFFECT:RESPIRATORY TRACT IRRITATION.CENTRAL NERVOU S SYSTEM DEPRESSION IN HIGH CONCENTRATIONS.

Medical Cond Aggravated by Exposure:N/K

First Aid



First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN.SEEK MEDICAL HELP.SKIN:WASH WITH MILD SOAP AND WATER SOLUTION AND SEEK MEDICAL ATTENTION.INGESTION:IF SWALLOWED,DO NOT INDUCE VOMITING.SEEK MEDICAL HELP IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR.APPLY ARTIFICIAL RESPIRATION IF NECESSARY.SEEK MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:TCC
Flash Point:105F,40.5C
Lower Limits:6.0%
Upper Limits:0.7%
Extinguishing Media:WATER SPRAY,CARBON DIOXIDE,FOAM,AND/OR DRY CHEMICAL.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .WATER MAY BE UNSUITABLE AS AN EXTINGUISHING MEDIA BUT HELPFUL IN KEEPING ADJACENT (SEE SUP DA)
Unusual Fire/Explosion Hazard:KEEP WORK AREA FREE OF HOT METAL SURFACES AND ALL OTHER POSSIBLE SOURCES OF IGNITION.THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Accidental Release

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR CONTAINER.AVOID EXPOSURE TO SPARKS,FIRE,OR HOT METAL SURFACES.SMALL AMOUNTS OF SPILLED MATERIAL MAY BE ABSORBED INTO AN APPROPRIATE ABSORBENT.LARGE SPILLS CAN B E TAKEN ON SAND,EARTH,CLAY AND FLOOR (SEE SUPP DA)
Neutralizing Agent:N/K

Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS AND OPEN FLAME.USE WITH ADEQUATE VENTILATION.KEEP CONTAINER CLOSED.
Other Precautions:PERSONNEL SHOULD AVOID INHALATION OF VAPORS.PERSONAL CONTACT WITH PRODUCT IS TO BE AVOIDED.SHOULD CONTACT BE MADE,REMOVE SATURATED CLOTHING AND FLUSH AFFECTED AREAS WITH WATER.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:LOCAL AND GENERAL VENTILATION NECESSARY TO KEEP AIR CONCENTRATION BELOW TWA .
Protective Gloves:CHEMICAL RESISTANT GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:EYE BATH AND SAFETY SHOWER.CHEMICAL RESISTANT APRON.
Work Hygienic Practices:N/K
Supplemental Safety and Health
FIRE FIGHT PROC:CONTAINERS COOL.AVOID SPREADING BURNING LIQUID WITH WATER USED FOR COOLING PURPOSES.SPILL PROC:ABSORBENT AND SHOVELLED INTO CONTAINERS FOR DISPOSAL.PREVENT RUNOFF TO STREAMS,SEWERS OR OTHER BODIES OF WATER.

Chemical Properties

Boiling Pt:B.P. Text:315-380F
Melt/Freeze Pt:M.P/F.P Text:N/K
Decomp Temp:Decomp Text:N/K
Vapor Pres:2 MMHG
Vapor Density:>1 (AIR=1)
Spec Gravity:0.766 (WATER=1)
Evaporation Rate & Reference:Solubility in Water:NEGLIGIBLE
Appearance and Odor:WHITE WATER CLEAR WITH A HYDROCARBON TYPE ODOR.
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.STRONG ACIDS OR BASES AND SELECTED AMINES.
Stability Condition to Avoid:HEAT,SPARKS,FIRE,OPEN FLAME.



Hazardous Decomposition Products: CARBON MONOXIDE AND/OR CARBON DIOXIDE.
Conditions to Avoid Polymerization: WILL NOT OCCUR.

Disposal

Waste Disposal Methods: DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. INCINERATE UNDER SAFE CONDITIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.